



Pulse Secure Desktop Client

Fully Qualified Domain Name (FQDN) based
Split Tunneling
Deployment Guide

Pulse Secure, LLC
2700 Zanker Road, Suite
200 San Jose, CA 95134
www.pulsesecure.net

Pulse Secure and the Pulse Secure logo are trademarks of Pulse Secure, LLC in the United States. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Pulse Secure, LLC assumes no responsibility for any inaccuracies in this document. Pulse Secure, LLC reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

Pulse Secure Desktop Client FQDN based Split Tunneling Deployment Guide.

The information in this document is current as of the date on the title page.

END USER LICENSE AGREEMENT

The Pulse Secure product that is the subject of this technical documentation consists of (or is intended for use with) Pulse Secure software. Use of such software is subject to the terms and conditions of the End User License Agreement (“EULA”) posted at www.pulsesecure.net. By downloading, installing or using such software, you agree to the terms and conditions of that EULA.

Revision History

Revision and Date	Added/Updated/Removed	Remarks
1.0.1, August 2019	Added a note in "Configuration" section.	
1.0, April 2018	Initial updates of FQDN Deployment Guide	

Contents

Revision History	3
Purpose of this Guide	5
Prerequisites.....	5
Overview	6
Fully Qualified Domain Names (FQDN) based Split Tunneling	6
Related Features	6
Configuration	8
FQDN resource and IPv4/IPv6 resources-based split tunneling.....	11

Purpose of this Guide

This guide describes how to configure split tunneling rules on the Pulse Desktop Client based on Fully Qualified Domain Names (FQDN) by directly specifying the domain names.

Prerequisites


This guide assumes you are familiar with the use of the following products or documents and their related terminology.

- Windows, Mac
- Pulse Desktop Client 9.0R1
- Pulse Secure Desktop Client Administration Guide Release 9.0R1
- Pulse Connect Secure Administration Guide Release 9.0R1

Overview

Fully Qualified Domain Names (FQDN) based Split Tunneling

Fully Qualified Domain Names (FQDN) based split tunneling will allow the PCS administrator to configure the split tunneling based on FQDN. FQDN based resources can be defined as exclude policy and include policy for split tunneling. Based on the role merging rules as is done for IP/Netmask based resources, PCS will send lists of FQDN include policy and FQDN exclude policy to Pulse Desktop Client.

 **Note:** PCS will send list of FQDN based split tunneling rules with FQDN only to Pulse Desktop Clients 9.0R1 onwards. So, Pulse Desktop Client lesser than 9.0R1 release, are not affected by new set of configuration rules.

Pulse Desktop Client will send all DNS requests to the PCS server and then decide based on FQDN Exclude Policy and FQDN Include Policy lists.

A FQDN name might resolve to multiple IP addresses and can also have other CNAME addresses that are expected to be treated on par with the original FQDN.

This feature is helpful while configuring rules to ignore or tunnel cloud services.

Related Features

FQDN based split tunneling works well along with the following additional features:

- **PCS Split Tunneling Overview**

Split tunneling is configured as a part of the role that is assigned to a user after authentication. When the client and Pulse Connect Secure (PCS) establish a VPN tunnel, the Pulse server takes control of the routing environment on the endpoint to ensure that only permitted network traffic is allowed access through the VPN tunnel. Split tunneling settings enable you to further define the VPN tunnel environment by permitting some traffic from the endpoint to reach the local network or another connected subnet. When split tunneling is enabled, split tunneling resource policies enable you to define the specific IP network resources and FQDN resources that are excluded from access or accessible through the VPN tunnel.

For more information on PCS Split Tunneling, see section *Pulse Connect Secure Split Tunneling Overview in PDC Admin Guide*.

- **FQDN Access Control Policies (ACL)**

Admin can configure IPv4/IPv6/FQDN addresses in the following 2 ways:

- Simple Rules
- Detailed Rules

Simple Rules : Admin can configure IPv4/IPv6/FQDN addresses with allow/deny rules. These rules permit/deny access to an IPv4/IPv6/FQDN resource based on the IPv4/IPv6/FQDN address configured.

Detailed Rules : Admin can configure IPv4/IPv6/FQDN addresses with allow/deny rules with conditions. These rules permit/deny access to an IPv4/IPv6/FQDN resource based on the IPv4/IPv6/FQDN address configured when the condition matches.

Every entry in the ACL policy corresponds to 2 entries in the FORWARD chain in iptables/ip6tables. One in the inbound direction and the other in the outbound direction.

For more information, see *Writing a Detailed Rule for VPN Tunneling Access Control Policies ACL* in *PCS Admin Guide*.


- **IPv4 Split Tunneling:** Pulse VPN now allows accessing both IPv4, IPv6 corporate resources from IPv4 and IPv6 endpoints and FQDN resources. It enables client to access both corporate network and local network at the same time. The network traffic designated is directed to tunnel interface for corporate network by configuring route policies, whereas other traffics are sent to direct interface.

 **Note:** All configurations to IPv6 are similar to IPv4.

For more information, see section *IPv6/IPv4 Split Tunneling* in *PDC Admin Guide*.

Configuration


A high-level overview of the configuration steps to set up FQDN based split tunneling feature is shown below.



To configure the FQDN based split tunneling, use the following steps:

1. Log in to Pulse Connect Secure administrator console.
2. Select **User > User Roles > Role Name > VPN Tunneling > Split Tunneling**
Choose the split tunneling mode as **Enable**.

Figure 1: Split Tunneling Mode Enable



Note: Split Tunneling mode must be enabled for FQDN based Split tunneling.

3. Select **Resource Policy > VPN Tunneling > Split Tunneling Networks**
Admin can add a new policy or can choose the already defined policy.
4. In the FQDN Resources section, specify the FQDN name.

Figure 2 FQDN Split Tunneling

* Name: Required: Label to reference this

Description:

▼ Resources

Specify the resources for which this policy applies, one per line.

IPv4 Resources: Examples:
10.10.0.0/255.255.0.0
10.10.10.0/255.255.255.0
10.2.12.0/24

IPv6 Resources: Examples:
[2001:db8:a0b:12f0::1]
[2001:DB8::6:0/112]
[2001:DB8::7:50]

FQDN Resources: Examples:
www.example.com
*.example.com

Note: FQDN resources will be resolved to IPv4 addresses only.

Note: For FQDN resources wild card domains will be allowed. For more information on format of these rules, see [RFC 4592](#).

Detailed Rule Tab

Select **Actions > Use Detailed Rules** box.

Figure 3 Detailed Rules Tab

Actions

Allow access

Exclude access

Use Detailed Rules(see [Detailed Rules](#) page)

Click on **Detailed Rules**. The following screen appears:

Figure 4 Detailed Tab FQDN

VPN Tunneling Split Tunneling > test1_aslow_policy

Detailed Rule

▼ Actions

Allow access
 Exclude access

▼ Resources

Specify the resources for which this rule applies, one per line.

IPv4 Resources:

Examples:
 10.10.0.0/255.255.0.0
 10.10.10.0/255.255.255.0
 10.2.12.0/24

IPv6 Resources:

Examples:
 [2001:db8:a0b:12f0::1]
 [2001:DB8::6:0/112]
 [2001:DB8::7:50]

FQDN Resources:

Examples:
 www.example.com
 *.example.com

Note: FQDN resources will be resolved to IPv4 addresses only.

▼ Conditions

Specify the conditions, if any, under which this rule applies.

Conditions:

Conditions Dictionary

- ▶ Prebuilt Conditions
- ▶ Your Conditions
- ▶ Logical Operators

In the FQDN Resources section, specify the FQDN name. For FQDN resources wild card domains are allowed.

Note: FQDN is not supported on IPv6. FQDN resource will be given preference over IPv4 in case of conflict.

Note: From 9.0R3 release onwards, FQDN based split tunneling will not support Traffic Enforcement feature enabled for the respective role.

FQDN resource and IPv4/IPv6 resources-based split tunneling

The following table describes the different scenarios for FQDN based split tunneling with respect to IPv4 and IPv6 based split tunneling.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
1.	1.1.10/24	NA	NA	NA	NA	NA	1.1.1.0 pointing to tunnel interface. All other IPv4 will go through physical interface. All IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	1.1.1.0 pointing to tunnel interface. All other IPv4 will go through physical interface. All IPv6 traffic pointing to tunnel interface. All FQDN resource will go through the physical adapter.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
2.	NA	1.1.1.0/24	NA	NA	NA	NA	1.1.1.0 pointing to physical interface. All other IPv4 traffic except 1.1.1.0/24 will go through tunnel interface. All IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.	Default route pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 , IPv6 and FQDN will go through the tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
3.	NA	NA	2001:cdba::3257:9652	NA	NA	NA	Default IPv4 route pointing to tunnel interface. IPv6 route for 2001:cdba::3257:9652 pointing to tunnel interface. All IPv4 resource will go through the tunnel interface. All IPv6 traffic other than 2001:cdba::3257:9652 will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.	Default IPv4 route pointing to tunnel interface. IPv6 route for 2001:cdba::3257:9652 pointing to tunnel interface. All IPv4 and FQDN resource will go through the tunnel interface. All IPv6 traffic other than 2001:cdba::3257:9652 will go through the tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
4.	NA	NA	NA	2001:cd ba::325 7:9652	NA	NA	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. IPv6 route for 2001:cdba::3257:9652 pointing to physical adapter. All other IPv4 and IPv6 resource will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. IPv6 route for 2001 pointing to physical adapter. All other IPv4 and FQDN resource will go through the tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
5.	NA	NA	NA	NA	www.google.com	NA	IPv4 default route will be present. IPv6 default route will be present. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. IPv6 default route pointing to tunnel interface. www.google.com will go through the tunnel interface. All other IPv4 and FQDN resource which are not mentioned will go through the physical interface.
6.	NA	NA	NA	NA	NA	www.google.com	IPv4 default route will be present. IPv6 default route will be present. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. www.google.com will go through the physical interface. All other FQDN/IPv4/IPv6 will go through tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
7.	1.1.1.0/24	NA	2001:cdba::3257:9652	NA	NA	NA	Route for 1.1.1.0/24 pointing to tunnel interface. Route for 2001:cdba::3257:9652 pointing to tunnel interface. Except for [1.1.1.0/24 and 2001:cdba::3257:9652] all other IPv4 and IPv6 will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.	Route for 1.1.1.0/24 pointing to tunnel interface. Route for 2001 pointing to tunnel interface. Except for [1.1.1.0/24 and 2001] All other IPv4/IPv6/FQDN will go through the tunnel interface

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
8.	NA	1.1.1.0/24	NA	1.1.1.0/24	NA	NA	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to physical interface. Route for 2001::cdba::3257:9652 pointing to physical interface. Except for 1.1.1.0/24 and 2001 all other IPv4 and IPv6 will go through the tunnel interface. FQDN resources are not considered.	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to physical interface. Route for 2001 pointing to physical interface. Except for 1.1.1.0/24 and 2001 all other IPv4/IPv6 and FQDN will go through the tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
9.	1.1.1.0 /24	NA	NA	NA	www.google.com	NA	No default IPv4 route. IPv6 default route pointing to tunnel interface. Other than 1.1.1.0/24 all IPv4 will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.	Route for 1.1.1.0 pointing to tunnel interface. Route for www.google.com pointing to tunnel interface. Default IPv6 route pointing to tunnel interface. Other than 1.1.1.0/24 and www.google.com all other IPv4 and FQDN will go through the physical interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
10.	NA	1.1.1.0/24	NA	NA	NA	www.google.com	<p>IPv4 default route pointing to tunnel interface.</p> <p>IPv6 default route pointing to tunnel interface.</p> <p>Route for 1.1.1.0/24 pointing to physical interface will be added.</p> <p>Except for 1.1.1.0/24 all other IPv4 and IPv6 resource will go through tunnel interface.</p> <p>FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else though physical interface.</p>	<p>IPv4 default route pointing to tunnel interface.</p> <p>IPv6 default route pointing to tunnel interface.</p> <p>Route for 1.1.1.0/24 pointing to physical interface will be added.</p> <p>Except for 1.1.1.0/24 and www.google.com all other IPv4,IPv6 and FQDN resource will go through tunnel interface.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
11.	NA	NA	2001:cdba::3257:9652	NA	www.google.com	NA	IPv4 default route pointing to tunnel interface. No IPv6 default route. Route for 2001:cdba::3257:9652 pointing to tunnel interface. Except for 2001:cdba::3257:9652 IPv6 will go through the physical interface. All IPv4 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	Route for 2001:cdba::3257:9652 pointing to tunnel interface. Route for www.google.com pointing to tunnel interface. Except for 2001:cdba::3257:9652 and www.google.com all other IPv4/IPv6/FQDN will go through the physical interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
12.	NA	NA	NA	2001:cdba::3257:9652	NA	www.google.com	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Except for 2001:cdba::3257:9652 all other IPv4 and IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	Default IPv6 route pointing to tunnel interface. Default IPv4 route pointing to tunnel interface. Route for 2001 pointing to physical interface. Route for www.google.com pointing to physical interface. Except for 2001 and www.google.com all the other IPv4/IPv6/FQDN will go through tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
13.	1.1.1.0 /24	NA	NA	NA	NA	www.google.com	No default IPv4 route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0 pointing to tunnel interface. Except for 1.1.1.0 all other IPv4 traffic will go through physical interface. All the IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	Default IPv6 route pointing to tunnel interface. Route for 1.1.1.1 pointing to tunnel interface. www.google.com will go through physical interface. Except for 1.1.1.0/24 all other IPv4 will go through physical interface. Except for www.google.com all other FQDN resource will go through tunnel interface. All IPv6 traffic will go through tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
14.	NA	1.1.1.0/24	NA	NA	www.google.com	NA	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. All IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 resource will go through the tunnel interface. All the IPv6 traffic will go through the tunnel interface. Except for www.google.com all other FQDN resource will go through the physical interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
15.	NA	NA	2001:cdba::3257:9652	NA	NA	www.google.com	Default IPv4 route pointing to tunnel interface. No default IPv6 route pointing to tunnel interface. All IPv4 resource will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	Default IPv4 route sent by the PCS server. Route for 2001 pointing to tunnel interface. www.google.com will go through physical interface. Except for www.google.com all other FQDN will go through tunnel interface. Except for 2001:cdba::3257:9652 all the IPv6 traffic will go through a physical interface. All the IPv4 traffic will go through the tunnel interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
16.	NA	NA	NA	2001:cdba::3257:9652	www.google.com	NA	<p>IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 2001:cdba::3257:9652 pointing to physical interface. All IPv4 traffic will go through tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>IPv6 default route will be sent from PCS. Route for 2001 pointing to physical interface. www.google.com will go through tunnel interface. Except for www.google.com all other FQDN resource will go through physical interface. Except for 2001 all other IPv6 traffic will go through tunnel interface. All the IPv4 traffic will go through physical interface.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
17.	1.1.1.0 /24	2.2.2.0/ 24	NA	NA	NA	NA	No IPv4 default route. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to tunnel interface. Except for 1.1.1.0/24 all the IPv4 traffic will go through the physical interface. All the IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv6 default route sent from PCS server. Route for 1.1.1.0/24 pointing to tunnel interface. Except for 1.1.1.0 all IPv4 traffic will go through physical interface. All IPv6 traffic will go through tunnel interface. All FQDN traffic will go through physical interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
18.	NA	NA	2001:cdba::3257:9652	2001:cdba::3257:9653	NA	NA	<p>IPv4 default route pointing to tunnel interface.</p> <p>Route for 2001:cdba::3257:9652 pointing to tunnel interface.</p> <p>Route for 2001:cdba::3257:9653 pointing to physical adapter.</p> <p>All IPv4 traffic will go through tunnel interface.</p> <p>FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>IPv4 default route will be sent from PCS server.</p> <p>Route for 2001 pointing to tunnel interface.</p> <p>Route for 2002 pointing to physical interface.</p> <p>All the FQDN resource will go through tunnel interface.</p> <p>All the IPv4 traffic will go through tunnel interface.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
19.	NA	NA	NA	NA	www.google.com	www.facebook.com	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. All IPv4 and IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. IPv6 default route will be present www.google.com will go through the tunnel interface. www.facebook.com will go through the physical interface. All other FQDN resource which are not mentioned will go through the physical interface. All the IPv4 resource will go through the physical interface. All the IPv6 resource will go through the virtual interface.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
20.	NA	1.1.1.0/24	NA	2001:cdba::3257:9652	NA	www.google.com	<p>IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to physical interface. Route for 2001:cdba::3257:9652 pointing to physical interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>IPv4 default route will be present. IPv6 default route will be present. www.google.com will go through physical adapter. All other FQDN resource which are not mentioned will go through tunnel interface will go through the physical interface. All the IPv4 resource will go through the tunnel interface except 1.1.1.0/24. All the IPv6 resource will go through the virtual interface except 2001.</p>

21.	NA	1.1.1.0/ 24	NA	2001:cd ba::325 7:9652	NA	www.go ogle.co m	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to physical interface. Route for 2001:cdba::3257:9652 pointing to physical interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route will be present. IPv6 default route will be present. www.google.com will go through physical adapter. All other FQDN resource which are not mentioned will go through tunnel interface will go through the physical interface. All the IPv4 resource will go through the tunnel interface except 1.1.1.0/24. All the IPv6 resource will go through the virtual interface except 2001.
22.	1.1.1.0 /24	NA	2001:c dba::32 57:965 2	NA	NA	www.go ogle.co m	No IPv4 default route. No IPv6 default route. Route for	No IPv4 default route. No IPv6 default route. www.google.com

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
							<p>1.1.1.0/24 pointing to tunnel interface.. Route for 2001:cdba::32:57:9652 pointing to tunnel interface. Except for 1.1.1.0/24 all IPv4 traffic will go through the physical interface. Except for 2001:cdba::32:57:9652 all IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>will go through physical interface. All other FQDN resource which are not mentioned will go through the tunnel interface. All the IPv4 resource will go through the physical interface except 1.1.1.o/24. All the IPv6 resource will go through the physical interface except 2001.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
23.	1.1.1.0 /24	NA	NA	2001:cd ba::325 7:9652	www.google.com	NA	No IPv4 default route. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0 pointing to tunnel interface. Route for 2001:cdba::3257:9652 pointing to physical interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. IPv6 default route will be present. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface. All the IPv4 resource will go through the physical interface except 1.1.1.0/24. All the IPv6 resource will go through the tunnel interface except 2001.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
24.	NA	1.1.1.0/24	2001:cdba::3257:9652	NA	www.google.com	NA	<p>IPv4 default route pointing to tunnel interface. No IPv6 default route. Route for 1.1.1.0/24 pointing to physical interface. Route for 2001:cdba::3257:9652 pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>IPv4 default route will be present. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface. All the IPv4 resource will go through the tunnel interface except 1.1.1.0/24. All the IPv6 resource will go through the physical interface except 2001.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
25.	1.1.1.0 /24	NA	NA	2001:cdba::3257:9652	NA	www.google.com	No IPv4 default route. IPv6 default route pointing to tunnel interface. Route for 1.1.1.0/24 pointing to tunnel interface. Route for 2001:cdba::3257:9652 pointing to physical interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. IPv6 default route pointing to tunnel interface. www.google.com will go through physical interface. All other FQDN resource which are not mentioned will go through the tunnel interface. All the IPv4 resource will go through the physical interface except 1.1.1.0/24. All the IPv6 resource will go through the tunnel interface except 2001.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
26.	NA	1.1.1.0/24	2001:cdba::3257:9652	NA	NA	www.google.com	IPv4 default route pointing to tunnel interface. No IPv6 default route. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 200:cdba:3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route will be present. No IPv6 default route www.google.com will go through physical interface. All other FQDN resource which are not mentioned will go through the tunnel interface. All the IPv4 resource will go through the tunnel interface except 1.1.1.0/24. All the IPv6 resource will go through the physical interface except 2001.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
27.	NA	1.1.1.0/24	NA	2001:cdba::3257:9652	www.google.com	NA	IPv4 default route pointing to tunnel interface. IPv6 default route pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route will be present. IPv6 default route will be present. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface. All the IPv4 resource will go through the tunnel interface except 1.1.1.0/24. All the IPv6 resource will go through the tunnel interface except 2001

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
28.	1.1.1.0/24	2.2.2.0/24	2001:cdba::3257:9652	2001:cdba::3257:9653	www.google.com	www.facebook.com	<p>No IPv4 default route.</p> <p>No IPv6 default route.</p> <p>Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface.</p> <p>Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface.</p> <p>FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>No IPv4 default route.</p> <p>No IPv6 default route.</p> <p>www.google.com will go through tunnel interface.</p> <p>All other FQDN resource which are not mentioned will go through the physical interface including www.facebook.com.</p> <p>All the IPv4 resource will go through the physical interface including 2.2.2.0/24 except 1.1.1.0/24.</p> <p>All the IPv6 resource will go through the physical interface including 7554 except 7334.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
29.	1.1.1.0/24	2.2.2.0/24	2001:cdba::3257:9652	2001:cdba::3257:9653	www.google.com	NA	No IPv4 default route. No IPv6 default route. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including. All the IPv4 resource will go through the physical interface including 2.2.2.0/24 except 1.1.1.0/24. All the IPv6 resource will go through the physical interface including 7554 except 7334.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
30.	1.1.1.0/24	2.2.2.0/24	2001:cdba::3257:9652	NA	www.google.com	www.facebook.com	No IPv4 default route. No IPv6 default route. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including www.facebook.com . All the IPv4 resource will go through the physical interface including 2.2.2.0/24 except 1.1.1.0/24. All the IPv6 resource will go through the physical interface except 7334.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
31.	1.1.1.0 /24	NA	2001:cdba::3257:9652	2001:cdba::3257:9653	www.google.com	www.facebook.com	No IPv4 default route. No IPv6 default route. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including facebook.com . All the IPv4 resource will go through the physical interface including except 1.1.1.0/24. All the IPv6 resource will go through the physical interface including 7554 except 7334.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
32.	NA	2.2.2.0/24	2001:cdba::3257:9652	2001:cdba::3257:9653	www.google.com	www.facebook.com	IPv4 default route pointing to tunnel interface. No IPv6 default route. Except for 2.2.2.0/24 all other IPv4 traffic will go through the tunnel interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	IPv4 default route will be present. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including www.facebook.com. All the IPv4 resource will go through the tunnel interface except 2.2.2.0/24 . All the IPv6 resource will go through the physical interface including 7554 except 7334.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
33.	1.1.1.0/24	2.2.2.0/24	NA	2001:cdba::3257:9652	www.google.com	www.facebook.com	No IPv4 default route. IPv6 default route pointing to tunnel interface. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the tunnel interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. IPv6 default route will be present www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including www.facebook.com. All the IPv4 resource will go through the physical interface except 1.1.1.0/24 . All the IPv6 resource will go through the tunnel interface except 2001.

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
34.	1.1.1.0/24	2.2.2.0/24	2001:cdba::3257:9653	2001:cdba::3257:9653	NA	www.facebook.com	<p>No IPv4 default route.</p> <p>No IPv6 default route.</p> <p>Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface.</p> <p>Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface.</p> <p>FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.</p>	<p>No IPv4 default route.</p> <p>No IPv6 default route.</p> <p>www.facebook.com will go through physical interface.</p> <p>All other FQDN resource which are not mentioned will go through the tunnel interface.</p> <p>All the IPv4 resource will go through the physical interface including except 1.1.1.0/24.</p> <p>All the IPv6 resource will go through the physical interface including 7554 except 7334.</p>

S. No.	IPv4 Include Policy	IPv4 Exclude Policy	IPv6 Include Policy	IPv6 Exclude Policy	FQDN Include Policy	FQDN Exclude Policy	Client Existing Behavior (5.3R4 and below)	Client New Behavior (9.0R1 and above)
35.	1.1.1.0/24	2.2.2.0/24	2001:cdba::3257:9652	2001:cdba::3257:9653	www.google.com	NA	No IPv4 default route. No IPv6 default route. Except for 1.1.1.0/24 all other IPv4 traffic will go through the physical interface. Except for 2001:cdba::3257:9652 all other IPv6 traffic will go through the physical interface. FQDN resources are not considered , depends on the IPv4 default route if present will go through the tunnel interface else through physical interface.	No IPv4 default route. No IPv6 default route. www.google.com will go through tunnel interface. All other FQDN resource which are not mentioned will go through the physical interface including. All the IPv4 resource will go through the physical interface including 2.2.2.0/24 except 1.1.1.0/24. All the IPv6 resource will go through the physical interface including 7554 except 7334.

 **Note:** Split Tunnel should be enabled for all the above scenarios.